



# Quantum Neural Networks: Bridging Quantum Computing and Machine Learning

Reji Kurien Thomas <sup>a\*</sup>

<sup>a</sup> *Swiss School of Business and Management, Geneva, Switzerland.*

## **Author's contribution**

*The sole author carried out this work. The author read and approved the final manuscript.*

## **Article Information**

DOI: 10.9734/AJRCOS/2023/v16i3340

## **Open Peer Review History:**

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/101187>

**Review Article**

**Received: 05/04/2023**

**Accepted: 07/06/2023**

**Published: 15/06/2023**

## **ABSTRACT**

The usage of QNNs is one approach that might be used to close the knowledge gap that exists between the domains of machine learning and quantum computing. As a result of this research, a full analysis of QNNs has been offered, covering a wide range of issues including their theoretical underpinnings, training techniques, benefits, limits, applications, and assessment methodologies. Quantum neural networks, also known as QNNs, are a type of artificial neural network that makes use of the power of quantum computing. These networks provide the promise for a significant improvement in processing speed as well as greater representation capabilities. On the other hand, in order to make full advantage of the benefits that QNNs give, obstacles such as scalability concerns and hardware restrictions need to be addressed and fixed. The fact that QNNs have the potential to be applied in such a broad range of different sectors is evidence of both the adaptability and the significance of this rapidly developing field of study. It will be necessary to do more study and investigation if there is to be any hope of making headway in the field of quantum machine learning with regard to the creation of QNNs and of realizing their full potential.

\*Corresponding author: E-mail: [founder@technopilot.in](mailto:founder@technopilot.in);

**Keywords:** Machine learning; quantum neural networks; quantum computing; artificial neural networks.


## 1. INTRODUCTION

Quantum computing and machine learning are two topics that are undergoing rapid development at the moment. These two areas have the potential to revolutionize many different areas of science, technology, and even business. By utilizing the ideas presented in quantum physics, quantum computers are able to accomplish certain tasks more effectively and with greater levels of parallelism than conventional computers. Techniques that fall under the umbrella of machine learning provide computers the capacity to learn from data and come to intelligent conclusions without the need for explicit programming. The intersection of these two research areas has resulted in the emergence of an exciting new area of study known as quantum machine learning (QML), the goal of which is to harness the potential of quantum computing in order to enhance the capabilities of machine learning algorithms.

The construction of quantum neural networks (QNNs) is one of the key methodologies utilised by QML. By combining the basics of quantum computing with the underlying structure and design of neural networks, QNNs make it possible to investigate new computational paradigms. This is accomplished by merging the two together. This research provides a comprehensive analysis of QNNs, including topics such as their theoretical foundations, training techniques, and potential applications.

### 1.1 Theoretical Foundations of Quantum Neural Networks

Quantum neural networks (QNNs) are a potent framework for data processing and analysis that incorporate ideas from quantum computing and machine learning. The theoretical underpinnings of QNNs are examined in this section, along with quantum feature maps, quantum data encoding, and QNN architecture.



**Fig. 1. Quantum neural network link**

## 2. QUANTUM DATA ENCODING

A fundamental step in QNNs is quantum data encoding, which enables the representation of classical information as quantum states. For this, several encoding systems have been suggested. To allow for the superposition of many data points, amplitude encoding entails mapping classical data onto the amplitudes of a quantum state [1]. On the other hand, phase encoding offers an alternative method of representing information by encoding conventional data as the phase of a quantum state. A broader strategy known as quantum embedding enables the mapping of classical data into a high-dimensional quantum state space, allowing for more intricate representations [1]. The quantum feature maps rely heavily on these encoding techniques.

### 3. QUANTUM FEATURE MAPS

According to Acampora et al. [2] quantum feature maps, the stored classical data is transformed into a high-dimensional quantum state space. These feature maps can be constructed using continuous-variable systems or quantum circuits, which were inspired by quantum gates. To perform calculations and change data, quantum circuits use several quantum gates [2]. As opposed to discrete-variable systems, continuous-variable systems represent and process data using continuous variables like location and momentum. Within a quantum framework, these feature maps offer the means to process and change the input data.

### 4. THE ARCHITECTURE OF QUANTUM NEURAL NETWORKS

The positioning and connectivity of quantum nodes, which are comparable to the neurons in classical neural networks, establish the architecture of QNNs [3]. The input data is subjected to quantum operations and transformations by quantum nodes. Depending on the specific implementation, these nodes can be realized utilizing various quantum systems, such as qubits or continuous-variable systems [3]. Quantum entanglement, a key characteristic of quantum physics, creates the connections between quantum nodes. The discovery of intricate relationships within the data is made possible by quantum entanglement, which enables the correlation and coherence of quantum states [3].

### 5. QUANTUM NODES AND OPERATIONS

In QNNs, quantum nodes subject the input data to quantum operations and transformations. Quantum gates, which carefully modify the quantum states, can be a part of these activities. The Hadamard gate, Pauli gates, and control gates like the CNOT gate are a few examples of quantum gates that are frequently employed in QNNs [4]. Quantum nodes can also include more intricate processes. For example, variational

quantum circuits use parameterized gates that are optimized throughout the training process [4]. The QNN can process and extract pertinent information from the incoming data thanks to these procedures.

### 6. QUANTUM ENTANGLEMENT AND COHERENCE

A key component of QNNs is quantum entanglement, which enables the correlation and coherence of quantum states. Entanglement can be taken advantage of by QNNs to capture intricate connections and relationships in the data. The operation of QNNs is also significantly influenced by quantum interference, which results from the superposition of quantum states [5,6]. It offers a way to make use of the processing capability of quantum systems by allowing the simultaneous exploration of numerous computational paths.

### 7. TRAINING ALGORITHMS FOR QUANTUM NEURAL NETWORKS

Quantum Neural Networks (QNN) performance and parameter optimization require training techniques. This section examines the various quantum variational, gradient-based, and reinforcement learning training techniques that are employed in QNNs.

### 8. GRADIENT-BASED OPTIMIZATION

When training QNNs, gradient-based optimization techniques are essential. These techniques use quantum circuits to compute gradients, enabling the use of conventional optimization methods [7]. Quantum backpropagation, which calculates gradients in a QNN layer by layer using the chain rule, is one popular method. Another gradient-based method is the parameter-shift rule, which calculates gradients by adjusting the quantum gate's parameters and calculating the related expectation values [7]. These techniques make it possible to update the parameters of QNNs using conventional optimization techniques like stochastic gradient descent.



Fig. 2. Training algorithms for quantum neural networks

## 9. QUANTUM ALGORITHMS

An alternate method for training QNNs is provided by quantum variational algorithms. To improve the process of creating quantum states, these methods integrate variational quantum circuits with traditional optimization algorithms. According to Fakhimi and Validi [8], variational quantum circuits are parameterized quantum circuits whose parameters are selected based on the optimum quantum states for a particular task. For combinatorial optimization issues, the quantum approximate optimization algorithm (QAOA) is a well-known variational quantum method [8]. Another variational quantum technique used for classification applications is the quantum variational classifier (QVC). These techniques have produced encouraging outcomes when used to train QNNs and address

## VARIATIONAL

various optimizations and classification issues [8].

## 10. QUANTUM LEARNING

## REINFORCEMENT

An emerging field called quantum reinforcement learning (QRL) combines reinforcement learning strategies with the exceptional capabilities of quantum computers. To improve exploration and exploitation in sequential decision-making tasks, QRL algorithms take advantage of quantum system features including superposition and interference [9]. A QRL algorithm called quantum advantage policy iteration (QAPI) combines conventional reinforcement learning methods with the creation and measurement of quantum states [9]. Another QRL approach called quantum approximate policy iteration (QAPI) uses variational quantum circuits to estimate an agent's policy.




Fig. 3. Quantum reinforcement learning model

These algorithms have the potential to solve challenging decision-making issues.




Fig. 4. Quantum computing and machine learning algorithm

### 11. COMPARISON AND CONSIDERATIONS

Each QNN training algorithm has benefits and drawbacks. By utilizing traditional optimization approaches, gradient-based optimization methods offer a simple way [10]. However, they might struggle with the difficulty of precisely calculating gradients in the presence of noise and errors. On the other hand, quantum

variational algorithms are flexible and capable of handling a range of optimization and classification challenges [10]. However, the optimization environment for variational quantum circuits can be quite complicated, which could make it difficult to identify the best solutions. Sequential decision-making issues may be effectively solved by quantum reinforcement learning algorithms, but they might need a lot of computing power [11].




Fig. 5. Algorithm of quantum neural networks

## 12. ADVANTAGES AND LIMITATIONS OF QUANTUM NEURAL NETWORKS

Due to the increased computational speed offered by quantum computing, quantum neural networks (QNNs) provide several advantages over conventional neural networks. The benefits of QNNs are covered in this section, including computing efficiency, capacity for representation, and the investigation of intricate correlations. It also discusses QNNs' drawbacks, such as interpretability, scalability, and restrictions on quantum technology.

### 12.1 Advantages of Quantum Neural Networks

- a. **Computational Speedup:** The potential for processing speedup provided by quantum parallelism is one of the key benefits of QNNs. In comparison to conventional neural networks, quantum systems can simultaneously explore numerous computational routes, allowing for quicker training and inference procedures [12]. Large-scale optimization issues and sophisticated computations both benefit greatly from this speedup.
- b. **Representation Capacity:** When compared to classical neural networks, QNNs have a greater capacity for representation since they make use of high-dimensional quantum state spaces. QNNs can recognize and interpret complex linkages and dependencies within the data by utilizing the superposition and entanglement features of quantum

systems [3]. More expressive and adaptable models for a variety of tasks are made possible by this expanded representation capacity.

- c. **Exploration of Complex Correlations:** The study of intricate correlations and interactions within the data is made possible by QNNs thanks to the significant roles that quantum entanglement and quantum interference play. Because of the correlation and coherence of quantum states made possible by quantum entanglement, QNNs can capture complex interactions that may be difficult for classical neural networks to understand [1]. Quantum interference, which results from the superposition of quantum states, makes it possible to explore several computational avenues at once, which improves the learning dynamics of QNNs [1].

### 12.2 Limitations of Quantum Neural Networks

- a. **Quantum Hardware Constraints:** Due to the limits and flaws of the available quantum technology, implementing QNNs in practice is difficult. The performance and accuracy of QNNs can be significantly impacted by noise, decoherence, and restricted qubit connection [13]. Realizing the full potential of QNNs in practical applications requires overcoming these obstacles and creating ways for error mitigation [10].



Fig. 6. Quantum computing risks



- b. **Scalability:** The high computational demands and resource constraints of quantum systems play a crucial role in the scalability of QNNs. Large-scale implementations are difficult because the number of qubits and quantum operations required to solve the problem rises exponentially as its size [5,6]. To get over these scaling restrictions, efficient hardware architectures, and algorithms must be created.
- c. **Interpretability:** In comparison to classical neural networks, the interpretability and explainability of QNNs are relatively unexplored subjects. Building trust and confidence in QNNs' applications requires an understanding of their inner workings and decision-making procedures [14]. The field of study is actively engaged in the development of QNN-specific interpretability methodologies and approaches.

### 13. APPLICATIONS OF QUANTUM NEURAL NETWORKS

Quantum neural networks (QNNs) have a lot of potential for use in a variety of applications across numerous fields. The use of QNNs in generative modeling, quantum chemistry, optimization issues, and pattern recognition is examined in this section.

#### 13.1 Pattern Recognition

QNNs have shown potential in pattern recognition tasks, outperforming traditional neural networks in terms of performance. To efficiently capture complex picture features and achieve improved accuracy in image classification, QNNs use quantum parallelism and quantum feature maps [15]. In object recognition, where QNNs have been used, they show improved resilience against noise and picture changes [16]. The quantum representation capability of QNNs can be utilized to capture complex linguistic patterns in applications like sentiment analysis, text categorization, and language production in natural language processing [17].

#### 13.2 Quantum Chemistry

Quantum chemistry is a natural application area for QNNs because chemical systems are by their very nature quantum systems. For molecular simulations, drug discovery, and material design,

QNNs can be used. The efficient recording of molecule structures using quantum feature maps in QNNs makes it easier to predict chemical characteristics and reactions [18]. By predicting molecular characteristics and improving drug candidate structures, QNNs can aid in expediting the exploration of chemical space and enabling more effective drug discovery processes [19]. By optimizing their atomic arrangements, QNNs can also assist in the construction of innovative materials with particular features [20].

#### 13.3 Optimization Problems

Numerous optimization issues could benefit from a quantum speedup thanks to QNNs. The parallelism and coherence characteristics of QNNs can be used to enhance combinatorial optimization, which entails selecting the optimal option from a limited number of alternatives. To solve issues including the traveling salesman problem, graph coloring, and vehicle routing, QNNs can be used [12]. To effectively identify the best investment strategies and asset allocations, portfolio optimization, a critical activity in finance, can use QNNs [21]. The simultaneous exploration of numerous computational paths by QNNs can greatly accelerate the search for the best solution to certain optimization challenges.

#### 13.4 Generative Modeling

In generative modeling tasks, where the objective is to produce new samples that mimic a given dataset, QNNs have shown promise. In contrast to conventional generative models, QNNs may produce realistic images with improved diversity and high-resolution details [22]. To generate new and aesthetically pleasing musical compositions, QNNs can also be used [23]. Another area where QNNs can be used to produce coherent and contextually relevant text samples is text production [14]. These QNN-based generative modeling applications have the potential to transform the creative industries and open up new avenues for artistic expression.

### 14. BENCHMARKING AND EVALUATING QUANTUM NEURAL NETWORKS

It is essential to benchmark and evaluate the performance of quantum neural networks (QNNs) to judge their efficacy and contrast various models and algorithms. This section examines benchmarking and evaluation methods

for QNNs while taking generative modeling and classification tasks into account. It is also stated how crucial it is to understand how quantum entanglement and interference work in QNNs.

#### 14.1 Evaluation Metrics for Classification Tasks

Different assessment criteria can be used to evaluate QNN performance in classification tasks. A frequently used metric is accuracy, which counts the proportion of instances that were properly classified. The proportion of true positive forecasts among all positive predictions, as measured by accuracy, and the proportion of true positive predictions among all instances of true positive predictions, as measured by the recall, offer insights into the quality of predictions. The harmonic mean of recall and accuracy, known as the F1 score, combines both measures to assess the classifier's overall performance [1].

#### 14.2 Evaluation Metrics for Generative Modeling Tasks

Metrics are employed in generative modeling activities to rate the accuracy and variety of the generated samples. Based on how closely created samples resemble genuine samples and how diverse they are, the inception score evaluates the quality of the generated samples. It determines the average Kullback-Leibler (KL) divergence between the marginal class distribution of the generated samples and the conditional class distributions [24]. The Frechet Inception Distance (FID), which compares the statistics of generated samples and real data using activations of a pre-trained deep neural network, is another frequently used metric [25]. Higher quality and similarity between the produced and real samples are shown by lower FID values.

#### 14.3 Analyzing Quantum Entanglement and Interference

To improve training algorithms and performance, it is crucial to comprehend how quantum entanglement and interference work in QNNs. The correlation and coherence of quantum states are made possible by quantum entanglement, and this has an impact on how quickly QNNs learn new things. Insights into the optimization of network topologies and training procedures can be gained by examining the entanglement patterns and their effects on the convergence speed and generalization capacities of QNNs

[12]. Studying the interference effects in QNNs can also provide insight into the dynamics of learning and the investigation of complicated correlations in the data [14].

#### 14.4 Benchmarking Strategies

It is essential to assess QNNs' performance against traditional neural networks and cutting-edge machine learning models to benchmark them. On benchmark datasets, this may entail assessing the precision, effectiveness, and scalability of QNNs. By training QNNs and traditional neural networks on the same dataset and comparing their performance measures, comparisons may be drawn. To evaluate the benefits and drawbacks of QNNs, they can be compared to traditional machine learning algorithms like support vector machines or random forests [10].

### 15. CONCLUSION

A possible method for bridging the domains of machine learning and quantum computing is the use of QNNs. This study has offered a thorough review of QNNs, including information on their theoretical underpinnings, training techniques, benefits, drawbacks, applications, and evaluation methods. QNNs offer the possibility for significant computational speedup and improved representation capabilities by utilizing the power of quantum computing. To effectively utilize the benefits of QNNs, however, obstacles like scalability problems and hardware limitations must be resolved. The potential uses for QNNs across a range of fields demonstrate the adaptability and significance of this developing field. To advance the development of QNNs and realize their full potential in the field of quantum machine learning, more investigation and study are needed.

### COMPETING INTERESTS

Author has declared that no competing interests exist.

### REFERENCES

1. Havlíček V, Córcoles AD, Temme K, Harrow AW, Kandala A, Chow JM, Gambetta JM. Supervised learning with quantum-enhanced feature spaces. *Nature*. 2019;567(7747):209–212. Available: <https://doi.org/10.1038/s41586-019-0980-2>



2. Acampora G, Chiatto A, Vitiello A. Genetic algorithms as classical optimizer for the quantum approximate optimization algorithm. *Applied Soft Computing*. 2023; 142:110296. Available: <https://doi.org/10.1016/j.asoc.2023.110296>
3. Dey S, De S, Bhattacharyya S. Introduction to quantum machine learning. *Quantum Machine Learning*. 2020;1–10. Available: <https://doi.org/10.1515/9783110670707-001>
4. Jadhav A, Rasool A, Gyanchandani M. Quantum Machine Learning: Scope for real-world problems. *Procedia Computer Science*. 2023;218:2612–2625. Available: <https://doi.org/10.1016/j.procs.2023.01.235>
5. Schuld Maria, Bocharov A, Svore KM, Wiebe N. Circuit-centric quantum classifiers. *Physical Review A*. 2020a; 101(3). Available: <https://doi.org/10.1103/physreva.101.032308>
6. Schuld Maria, Bocharov A, Svore KM, Wiebe N. Circuit-centric quantum classifiers. *Physical Review A*. 2020b; 101(3). Available: <https://doi.org/10.1103/physreva.101.032308>
7. Benedetti M, Lloyd E, Sack S, Fiorentini M. Parameterized quantum circuits as machine learning models. *Quantum Science and Technology*. 2019;4(4): 043001. Available: <https://doi.org/10.1088/2058-9565/ab4eb5>
8. Fakhimi R, Validi H. Quantum approximate optimization algorithm (QAOA). *Encyclopedia of Optimization*. 2023;1–7. Available: [https://doi.org/10.1007/978-3-030-54621-2\\_854-1](https://doi.org/10.1007/978-3-030-54621-2_854-1)
9. Kunczik L. Quantum reinforcement learning—connecting reinforcement learning and quantum computing. *Reinforcement Learning with Hybrid Quantum Approximation in the NISQ Context*. 2022;41–48. Available: [https://doi.org/10.1007/978-3-658-37616-1\\_4](https://doi.org/10.1007/978-3-658-37616-1_4)
10. Dunjko V, Wittek P. A non-review of Quantum Machine Learning: Trends and explorations. *Quantum Views*. 2020;4: 32. Available: <https://doi.org/10.22331/qv-2020-03-17-32>
11. Allcock J, Zhang S. Quantum Machine Learning. *National Science Review*. 2018; 6(1):26–28. Available: <https://doi.org/10.1093/nsr/nwy149>
12. Lloyd S, Mohseni M, Rebentrost P. Quantum principal component analysis. *Nature Physics*. 2014;10(9):631–633. Available: <https://doi.org/10.1038/nphys3029>
13. Preskill J. Quantum Computing in the NISQ era and beyond. *Quantum*. 2018;2: 79. Available: <https://doi.org/10.22331/q-2018-08-06-79>
14. Cong I, Choi S, Lukin MD. Quantum Convolutional Neural Networks. *Nature Physics*. 2019;15(12):1273–1278. Available: <https://doi.org/10.1038/s41567-019-0648-8>
15. Schuld M, Fingerhuth M, Petruccione F. Implementing a distance-based classifier with a quantum interference circuit. *EPL (Europhysics Letters)*. 2017;119(6):60002. Available: <https://doi.org/10.1209/0295-5075/119/60002>
16. Park K, Kim DH. Accelerating image classification using feature map similarity in Convolutional Neural Networks. *Applied Sciences*. 2018;9(1):108. Available: <https://doi.org/10.3390/app9010108>
17. Guarasci R, De Pietro G, Esposito M. Quantum Natural Language Processing: Challenges and opportunities. *Applied Sciences*. 2022;12(11):5651. Available: <https://doi.org/10.3390/app12115651>
18. O'Malley PJJ, Babbush R, Kivlichan ID, Romero J, McClean JR, Barends R, et al. Scalable quantum simulation of molecular energies. *Physical Review*. 2016;X:6(3). Available: <https://doi.org/10.1103/physrevx.6.031007>
19. McClean JR, Romero J, Babbush R, Aspuru-Guzik A. The theory of variational hybrid quantum-classical algorithms. *New Journal of Physics*. 2016;18(2):023023. Available: <https://doi.org/10.1088/1367-2630/18/2/023023>
20. Kao PY, Yang YC, Chiang WY, Hsiao JY, Cao Y, Aliper A, et al. Exploring the advantages of quantum generative adversarial networks in Generative Chemistry. *Journal of Chemical Information and Modeling*; 2023.

- Available:<https://doi.org/10.1021/acs.jcim.3c00562>
21. Buonaiuto G, Gargiulo F, De Pietro G, Esposito M, Pota M. Best Practices for Portfolio Optimization by Quantum Computing, Experimented on Real Quantum Devices; 2023. Available:<https://doi.org/10.21203/rs.3.rs-2601946/v1>
  22. Romero J, Olson JP, Aspuru-Guzik A. Quantum autoencoders for efficient compression of Quantum Data. Quantum Science and Technology. 2017;2(4): 045001. Available:<https://doi.org/10.1088/2058-9565/aa8072>
  23. Harrigan MP, Sung KJ, Neeley M, Satzinger KJ, Arute F, Arya K, et al. Quantum approximate optimization of non-planar graph problems on a planar superconducting processor. Nature Physics. 2021;17(3):332–336. Available:<https://doi.org/10.1038/s41567-020-01105-y>
  24. Hinz T, Fisher M, Wang O, Wermter S. Improved techniques for training single-image gans. 2021 IEEE Winter Conference on Applications of Computer Vision (WACV); 2021. Available:<https://doi.org/10.1109/wacv48630.2021.00134>
  25. Bynagari NB. Gans trained by a two time-scale update rule converge to a local Nash equilibrium. Asian Journal of Applied Science and Engineering. 2019;8(1):25–34. Available:<https://doi.org/10.18034/ajase.v8i1.9>

© 2023 Thomas; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

*Peer-review history:*  
*The peer review history for this paper can be accessed here:*  
<https://www.sdiarticle5.com/review-history/101187>